MOTORISED BLINDS



Somfy Electric Systems

As Somfy's National Partner, we offer a range of motorised solutions with Somfy's famed ease of use, reliability and quality.

We can offer you full choice from Somfy's range to satisfy your motorisation needs. If you are getting started just pick your motor, power option, control options and any accessories you may need.

Somfy Motorised Rollers / Visions / Senses / Mirage

Choose your starter pack – the easiest way to offering motorised blinds.

32mm Roller / Vision System Motorised Pack

You get Somfy Roll Up 24 WF RTS (Embedded Battery), Crown & Drive, Motor Plate, Li-Ion Charger (V2) and Somfy Situo Single Channel Remote

Somfy Motorised Rollers / Visions

Choose your starter pack – the easiest way to offering motorised blinds.

40mm Roller / Vision / Mirage (Rollease 32mm) System Motorised Pack

You get Somfy Roll Up 28 WF RTS Li-Ion (Embedded Battery), Crown & Drive, Motor Plate, Li-Ion Charger (V2) and Somfy Situo Single Channel Remote

45mm Roller System Motorised Pack

You get Somfy Sonesse 30 Ultra Li-Ion (Embedded Battery), Crown & Drive, Motor Plate, Li-Ion Charger (V2) and Somfy Situo Single Channel Remote

MOTORISED BLINDS

ADDITIONAL INFORMATION:

- Somfy Wirefree Roll Up 24 RTS embedded system is our standard for Rollers and Visions. It requires a Louvolite System 32 tube as standard.
- Somfy Wirefree Roll Up 24 RTS:
 - Width: 550mm 2000mm
 - Max area for light fabrics (upto $250g/m^2$): = $6m^2$
 - Max area for heavy fabrics (upto 550g/m2): = $4m^2$
- Somfy Wirefree Roll Up Basic 28 RTS:
 - Width 400mm 2500mm
 - Max area for light fabrics (upto 250g/m2) = $9m^2$
 - Max area for heavy fabrics (upto 550g/m2) = $6m^2$
 - NB For blinds under 600mm, the smaller Roll Up 28 WF RTS (External Battery 12v) used instead.
- Somfy Tilt & Lift 25 WF RTS (External Battery 12v) system is our standard for metal Venetians, Romans, Pleated blinds.
- Somfy Tilt & Lift 25 WF RTS for 25mm Venetians :
 - Min Width 515mm (upto 1700mm drop) / 600mm (upto 3600mm drop)
 - Max Width 3300mm
 - Max Drop 3600mm
 - Max area = $4m^2$
- Somfy Tilt & Lift 25 WF RTS for Pleated Blinds :
 - Min Width 570mm (upto 2000mm drop) / 710mm (upto 4000mm drop)
 - Max Width 2300mm
 - Max Drop 4000mm
 - Max area = $6m^2$
- Somfy Tilt & Lift 25 WF RTS for Roman Blinds :
 - Min Width 550mm (upto 2200mm drop) / 616mm (upto 3400mm drop)
 - Max Width 3000mm
 - Max Drop 3400mm
 - Max area = $5m^2$
- Somfy Sonesse 30 ULTRA Li-Ion (Embedded Battery) is suitable for Rollers and Visions. It requires a Louvolite System 40 tube as standard.
- Somfy Sonesse 30 ULTRA Li-Ion (Embedded Battery):
 - Min Width 675mm 2500mm,
 - Max area for light fabrics (upto 300g/m2) = 17m²
 - Max area for heavy fabrics (upto 500g/m2) = $11m^2$
- Somfy Sonesse 40 3/30 RTS and WT motors require a Louvolite Unslotted 40 tube.
- For advise on which motor to choose see our Decision Flow Chart on Page 108
- Other Somfy Electric Systems and Accessories including Low Voltage Systems, RTS Handsets or Wall Switches are available contact our sales desk for more information and prices.
- Curtain Motorisation Electric control systems for Curtains are available contact our sales desk for more information and prices.

MOTORISED BLINDS

ADDITIONAL INFORMATION:

- One Touch Rechargeable 500 Lithium Battery 0.5Nm Motor uses 32mm tube making it suitable for Rollers and Visions.
- One Touch Rechargeable 500:
 - Width 460mm 1800mm
 - Weight Capacity: 1.9kgs
- One Touch Rechargeable 1200 Lithium Battery 1.2Nm Motor uses 40mm tube making it suitable for larger Rollers and Visions.
- One Touch Rechargeable 1200:
 - Width 510mm 2500mm
 - Weight Capacity: 3.5kgs
- One Touch Rechargeable 1200-Short Lithium Battery 1.2Nm Motor uses 40mm tube making it suitable for narrower Rollers and Visions than 1200 series.
- One Touch Rechargeable 1200-SHORT:
 - Width 355mm 2500mm
 - Weight Capacity: 3.5kgs
- One Touch Rechargeable 1800 Lithium Battery 1.8Nm Motor uses 40mm or 45mm tube making it suitable for heavier Rollers and Visions.
- One Touch Rechargeable 1800:
 - Width 650mm 3500mm
 - Weight Capacity: 6kgs
- One Touch Series 500/1200/1200-short/1800 recharge using 5V micro USB charger with 3m cable
- One Touch Mains Powered 1500 1.5Nm Motor uses 40mm or 45mm tube making it suitable for larger Rollers.
- One Touch Mains Powered 1500:
 - Width 500mm 3000mm
 - Weight Capacity: 5kgs
- One Touch Mains Powered 6000 6Nm Motor uses 55mm tube making it suitable for much heavier Rollers.
- One Touch Mains Powered 6000:
 - Width 650mm 4000mm
 - Weight Capacity: 12kgs
- One Touch Rechargeable Motor for Perfect Fit Rollers & Visions:
 - Width 400mm 1400mm
 - Weight Capacity: 1kg
 - Recharge using 5V micro USB charger with 3m cable
- One Touch Rechargeable Motor for Vogue Vertical Blinds offer Tilt Only motorisation, integrated 0.1Nm motor for the Slimline Vogue Vertical Blind System.
- One Touch Rechargeable Motor for Vogue Vertical:
 - Width 200mm 3000mm
 - Max Area: 6.5m2
 - Use Wand to fully draw open and close blind