

## ROLLER BLINDS

	RAINBOW STANDARD	OPTIONS
System	Louvolite 32mm	40, 40HD, 45 & 55
Roller Tube	Aluminium	n/a
Finish	No-sew, wraparound	Please specify
Control	Sidewinder	Spring or motorised
Operating Chain	White Plastic	Anthracite Grey, Beige, Black, Brown, Grey, Metal Chain
Control Side	Right hand side	Left hand side
Fabric	Fabric falls to back	Reverse roll (falls forward)
Bracket	Universal fixing brackets	Please specify
Shapes	Straight	Please specify
Poles & Finials	None	Please specify
Child Safety	Easy break connectors	Motorisation, Chain tensioner clips
Minimum Control Length	150mm	n/a
Control Length Deduction from floor with Fitting Height	1500mm	n/a
Measuring Method	Recess	Fabric Size



By Appointment to Her Majesty The Queen  
Quality Blind Fabrics and Components  
Dutton and Gavin (Textiles) Ltd

# Dutton & Gavin

Textiles

1775

Shutters

Quality Roller Fabrics from Dutton & Gavin are available on all our roller systems to suit all types of properties from Domestic Homes to Commercial Buildings.

## ROLLER BLINDS

### ADDITIONAL INFORMATION:

- Width: 250mm – 4000mm (depending on fabrics)
- Drop: 200mm – 4500mm (depending on fabrics)
- Control Drive/System size is based on fabric weight and blind size
- Price tables already include required systems for larger blinds. If you require a larger system for smaller blinds, add surcharge as below.
  - System 32: max. width = 1800mm; max. drop = 3000mm
  - System 40: max. width = 2500mm; max. drop = 3500mm
  - System 40
  - System 40HD: max. width = 1800mm; max. drop = 3000mm.
  - System 40HD
  - System 45: max. width = 3000mm; max. drop = 4000mm.
  - System 45
  - System 45+: max. width = 3500mm; max. drop = 4000mm.
  - System 45+
  - System 55: max. width = 4000mm; max. drop = 4500mm.
  - System 55
- Roller blinds made within tolerance of +/- 3mm width and +/- 5mm drop
- Some blinds may require a join by weld or stitch. Some fabrics cannot be joined. Please contact our Sales Team for more information on fabric ranges
- Control finished position dependent on child safety guidelines
- No-sew, fabric wrapped bottom bar as standard up to width of 2000mm
- Blinds over 2000mm wide made with, at no extra cost, exposed round bottom bar in white (standard); silver; or welded pocket (recommended for PVC fabrics)
- Some fabrics only available with an exposed bottom bar. Please contact our Sales Team for more information on fabric ranges
- Louvolite Round Bottom Bar
- Louvolite Gemini Bottom Bar (Exposed: anthracite, black, chrome, satin, white)
- Decora Teardrop Bottom Bar (Exposed: anthracite, black, chrome, satin, white)
- Senses Metal Bottom Bar (Fabric Wrapped/Exposed: anthracite, black, cream, silver, white)
- Senses Bottom Bar End Cap colour options: Anthracite, Black Chrome, Brown, Chrome, Cream, White
- Wood lath available upon request
- Metal chain colours: Antique Brass, Black Chrome, Brass, Chrome
- Motorisation available with Somfy and Louvolite options. See page 94
- Louvolite Grip Fit available on System 32 – cost is price of Roller 70mm Cassettes
- Guide Wires available
- Drive Link Coupling Bracket Set (R3250-40 Drive) – cost is price of individual blinds
- Free Link Coupling Bracket Set (R3250-40-Free) – cost is price of individual blinds
- Double Bracket Set (R3028) (System 40 only) – cost is price of individual blinds
- Double Bracket Cover Set (RM2140)
- Dual Bracket & Cover Set (R3070/R3072) (System 40/45 only) – cost is price of individual blinds
- Recess blinds 35mm deduction made from width
- See page 43 for blind finish types and costs
- Application of a customer's own braid
- Bracket covers available
- Extension brackets available

## ROLLER BLINDS - 70MM CASSETTE

	RAINBOW STANDARD	OPTIONS
Fascia	Louvolite 70mm Cassette	Louvolite 32mm Open Cassette, Louvolite 32mm Closed Cassette
Fascia Finish	White – no fabric insert	With Fabric insert, Anthracite Grey, Black, Satin; 40mm Open only – Beige, Chrome.
System	System 32mm	System 40mm
Roller Tube	Aluminium	n/a
Finish	No-sew, wraparound	Please specify
Control	Sidewinder	Spring or motorised
Operating Chain	White	Beige, Black, Brown, Metal
Control Side	Right hand side	Left hand side
Fabric	Fabric falls to back	Reverse roll (falls forward)
Bracket	Top fix brackets	Top fix extension, Face fix, Face fix extension
Bracket Covers	Standard End Caps - White	Wrapped end caps. Specify colour
Child Safety	Easy break connectors	Motorisation, Chain tensioner clips
Minimum Control Length	150mm	n/a
Control Length Deduction from floor with Fitting Height	1500mm	n/a
Measuring Method	Recess	Fabric Size

## ROLLER BLINDS - 70MM CASSETTE

### ADDITIONAL INFORMATION:

- Width: 250mm – 2200mm (depending on fabrics)
- Drop: 200mm – 2500mm (depending on fabrics)
- Control Drive/System size is based on fabric weight and blind size
- Price tables already include required systems for larger blinds. If you require a larger system for smaller blinds, add surcharge as below.
- System 32: max. width = 1800mm; max. drop = 2500mm
- System 40: max. width = 2200mm; max. drop = 2500mm
- System 40
- Roller blinds made within tolerance of +/- 3mm width and +/- 5mm drop
- Some blinds may require a join by weld or stitch. Some fabrics cannot be joined. Please contact our Sales Team for more information on fabric ranges
- Control finished position dependent on child safety guidelines
- No-sew, fabric wrapped bottom bar as standard up to width of 2000mm
- Blinds over 2000mm wide made with, at no extra cost, exposed round bottom bar in white (standard); silver; or welded pocket (recommended for PVC fabrics)
- Some fabrics only available with an exposed bottom bar. Please contact our Sales Team for more information on fabric ranges
- Louvolite Gemini Bottom Bar (Exposed: anthracite, black, chrome, satin, white)
- Decora Teardrop Bottom Bar (Exposed: anthracite, black, chrome, satin, white)
- Senses Metal Bottom Bar (Fabric Wrapped/Exposed: anthracite, black, cream, silver, white)
- Senses Bottom Bar End Cap colour options: Anthracite, Black Chrome, Chrome, Cream, White
- Wood lath available upon request
- Full Fascia/Wrapped Bracket covers available
- Full Fascia/Wrapped Bracket covers colour options: White, Anthracite Grey, Beige, Black, Chrome, Light Grey
- Extension brackets available
- Motorisation available with Somfy and Louvolite options. See page 94
- Louvolite Grip Fit available on System 32 – cost is price of Roller 70mm Cassettes
- Sliding Grip Fit Cover in Anthracite Grey, Black, Chrome, Light Grey, White
- Guide Wires available

### Louvolite 32mm Open Cassette System - Add to cost of Roller Blind.

(White, Beige, Grey, Brown, Black, Anthracite Grey)

Width (mm)	600	800	1000	1200	1400	1600	1800	2000	2400	2500
	19	22	25	27	30	33	37	40	42	45

(Bronze & Chrome)

Width (mm)	600	800	1000	1200	1400	1600	1800	2000	2400	2500
	27	33	38	44	48	52	56	60	67	71

### Louvolite 32mm Closed Cassette System - Add to cost of Roller Blind.

(White Only)

Width (mm)	600	800	1000	1200	1400	1600	1800	2000	2400	2500
	25	27	30	33	36	38	41	44	47	49

### Louvolite 70mm Cassette System Only

Width (mm)	600	800	1000	1200	1400	1600	1800	2000	2400	2500
	34	34	34	39	39	46	46	46	50	50

## ROLLER BLINDS - SENSES CASSETTE & FINISH

	RAINBOW STANDARD	OPTIONS
Fascia	White – no fabric insert	With Fabric insert, Anthracite Grey, Black, Cream, Silver
System	Senses 32mm	n/a
Roller Tube	Aluminium	n/a
Finish	No-sew, wraparound with matching end caps	Please specify
Control	Sidewinder Chain	Spring
Operating Chain	White	Beige, Black, Brown, Metal
Control Side	Right hand side	Left hand side
Fabric	Fabric falls to back	n/a
Bracket	Top fix brackets	Top fix extension, Face fix, Face fix extension
Fascia End Caps	White	Anthracite Grey, Black Chrome, Chrome, Cream
Child Safety	Easy break connectors	Motorisation, Chain tensioner clips
Minimum Control Length	150mm	n/a
Control Length Deduction from floor with Fitting Height	1500mm	n/a
Measuring Method	Recess	Fabric Size

## ROLLER BLINDS - SENSES CASSETTE & FINISH

### ADDITIONAL INFORMATION:

- Width: 250mm – 2000mm (depending on fabrics)
- Drop: 200mm – 4000mm (depending on fabrics)
- Senses 32 aluminium tube
- Fascia without fabric insert as standard.
- No Fabric insert over 1800mm width
- Specify if fabric insert required on Fascia. Note blackout fabrics not available.
- Matching Fascia End Sets come as standard. Specify if different.
- Roller blinds made within tolerance of +/- 3mm width and +/- 5mm drop
- Some blinds may require a join by weld or stitch. Some fabrics cannot be joined. Please contact our Sales Team for more information on fabric ranges
- Control finished position dependent on child safety guidelines
- No-sew, fabric wrapped bottom bar as standard up to width of 2000mm
- Blinds over 2000mm wide made with, at no extra cost, exposed round bottom bar in white (standard); silver; or welded pocket (recommended for PVC fabrics)
- Some fabrics only available with an exposed bottom bar. Please contact our Sales Team for more information on fabric ranges
- Senses Metal Bottom Bar (Fabric Wrapped/Exposed: anthracite, black, cream, silver, white)
- Senses Bottom Bar End Cap colour options: Anthracite, Black Chrome, Chrome, Cream, White
- Matching Bottom Bar End Caps come as standard. Specify if different.
- Extension brackets available
- Motorisation available with Somfy options. See page 94

## PERFECT FIT ROLLER BLINDS

	RAINBOW STANDARD	OPTIONS
System	Louvolite Perfect Fit	n/a
Roller Tube	Aluminium	n/a
Finish	No-sew, wraparound	Exposed
Control	Sidewinder	Spring or motorised
Operating Chain	White	Anthracite Grey, Brown, Grey, Tan
Control Side	Right hand side	Left hand side, None
Bracket	PF brackets	Please specify 18, 20, 22, 24, 30, 38mm to suit bead depth
Frame	White	Anthracite Grey, Brown, Golden Oak, Grey, Mahogany
Endset & Window Corner Cover	White	Anthracite Grey, Brown, Grey, Tan
Child Safety	Cord tidy (White)	Motorisation, Cord Tidy (anthracite grey, brown)
Minimum Control Length	150mm	n/a
Measuring Method	Glass	n/a

### ADDITIONAL INFORMATION:

- Width: 350mm – 1400mm
- Drop: 200mm – 2000mm (minimum 500mm drop for Chain Control)
- Maximum Area: up to 2.8m<sup>2</sup> (depending on the fabric)
- Max Drops by widths:
  - width < 400mm – max drop = 1100mm
  - width < 500mm – max drop = 1700mm
  - width < 600mm – max drop = 1900mm
  - width > 600mm – max drop = 2000mm
- Chain Control as standard. Tensioned available upon request at no extra cost
- Chain length is minimum 400mm endless loop
- Motorisation available with Somfy and Louvolite options. See page 94
- Perfect Fit Roller Curved Extrusion: 74mm height; 58mm depth
- End Set Cover: 97mm height; 75mm width
- Frame side channel: 38mm width; 26mm depth
- Specify bracket size when ordering
- Actual glass size only measurements accepted
- Hinged Handle colour options: Anthracite Grey, Black, Brown, Tan, White
- Folding Handle option
- Window handle spacers available in 2mm and 6mm
- Backing Foam for frame (white only)
- Konnect Magnetic Tape is not suitable for chain operated blind.
- Rebate handle available in Anthracite Grey, Black, Brown, Tan, White. Specify rebate handle location when ordering
- Additional cost for Golden Oak and Mahogany frame

## INTU ROLLER BLINDS

	RAINBOW STANDARD	OPTIONS
System	Intu Roller Bead Fit	Intu Roller Deep Bead Fit
Control	Raise/lower by Profiled bottom rail	n/a
Bracket	Intu brackets	Please specify to suit bead depth (11mm-27mm)
Rail	White	Brown
Child Safety	'Safe by design' and comply with BS EN 13120.	n/a
Measuring Method	Glass	n/a

### ADDITIONAL INFORMATION:

- Width: 325mm – 1400mm
- Drop: 100mm – 2000mm
- Max Area: 2m<sup>2</sup>
- Deep Bead Fit designed specifically for bead depth of 21mm and above
- Raise and lower via handle on profiled bottom rail
- Brown, and Silver rail colours
- Measurements – Glass Size only accepted
- Bead Fit:
  - Blind width = Glass size
  - Blind drop = Glass size
  - Side Extrusions = Blind drop – 45mm
  - Tube = Glass size - 29mm
  - Bottom rail = Blind Width – 52mm
  - Fabric width = Glass size – 20mm
  - Fabric drop = Glass size + 100mm
  - Fascia width = Glass size + 70mm
  - Fabric cut out = 18.5mm x 24mm required at bottom corners of fabrics for bottom rail
- Deep Bead Fit:
  - Blind width = Glass size
  - Blind drop = Glass size
  - Side Extrusions = Blind drop – 66mm
  - Tube = Glass size - 29mm
  - Bottom rail = Blind Width – 52mm
  - Fabric width = Blind width – 20mm
  - Fabric drop = Blind width + 50mm
  - Fascia width = Blind width + 8mm
  - Fabric cut out = 18.5mm x 24mm required at bottom corners of fabrics for bottom rail
- Specify Bead Depth and Profile upon ordering
- Where blind to be fitted to a shaped or angled frame, Fascia width can be increase by a maximum of 7mm per side - please specify when ordering